

Patient Group Direction (PGD) Number 555

Supply of paracetamol for fever associated with coronavirus (COVID-19) for individuals aged 12 years or older who are self-isolating by Community Pharmacists

Version - 1.0

The purpose of the PGD is to allow management of fever associated with coronoavirus (COVID-19) in individuals aged 12 years and older who are self-isolating by registered pharmacists within Community Pharmacies.

This PGD authorises community pharmacists to supply paracetamol 500mg oral solid dosage form or paracetamol 250mg/5mL oral suspension to individuals aged 12 years and older who are self-isolating with fever and who meet the criteria for inclusion under the terms of the document for a period limited to responding to COVID-19.

Change history

Person or group responsible for changes	Date changes authorised	Version number

Supply of paracetamol for fever associated with coronavirus (COVID 19) for individuals aged 12 years or older who are self-isolating by Community Pharmacists protocol number 555



PGD for the supply of paracetamol 500mg oral solid dosage form or paracetamol 250mg in 5mL oral suspension, in response to coronavirus (COVID-19) for self-isolated individuals aged 12 years or over with fever

Authorisation

This specimen PGD has been produced by the Area Drugs and Therapeutics Committee Collaborative and the Primary Care Community Pharmacy Group to assist NHS Boards provide uniform services across NHS Scotland. NHS boards should ensure that the final PGD is considered and approved in line with local clinical governance arrangements for PGDs.

The qualified health professionals who may supply paracetamol 500mg oral solid dosage form or paracetamol 250mg in 5mL oral suspension under this PGD can only do so as named individuals. It is the responsibility of each professional to practice within the bounds of their own competence and in accordance with their own Code of Professional Conduct, and to ensure familiarity with the marketing authorisation holder's summary of product characteristics (SPC) for all medicines supplied in accordance with this PGD.

NHS board governance arrangements will indicate how records of staff authorised to operate this PGD will be maintained. Under PGD legislation there can be no delegation. Supply of the medicine has to be by the same practitioner who has assessed the individual under the PGD.

This PGD has been reviewed for NHS Forth Valley by:

Doctor	David Herron	Signature	3/4/20
Pharmacist	Kirstin Cassells	Signature	31/3/20
Nurse		Signature	

Supply of paracetamol for fever associated with coronavirus (COVID 19) for individuals aged 12 years or older who are self-isolating by Community Pharmacists protocol number 555



Approved on behalf of NHS Forth Valleyby:

Medical Director	Andrew Murray	Signature	3/4/20
Director of			
Pharmacy/Senior			
Pharmacist	Scott Mitchell	Signature	3/4/20
Clinical			
Governance			
Lead	Andrew Murray	Signature	3/4/30
Date Approved	03/04/2020		
Effective from	03/04/2020	Review Date	31/03/2021



Clinical Situation

Clinical Situation	
Indication/ Definition of situation	Symptomatic relief of fever associated with coronavirus (COVID-19) (suspected or confirmed)
	N.B. Supply under this PGD may be made to a representative as the individual with the fever will be unable to attend the pharmacy in person due to at home isolation. The act of making a supply to the individual's representative does not constitute delegation. The community pharmacist supplying the medicine must undertake the whole episode of care under the PGD.
	Fever can be defined as patient symptoms of fever OR recorded temperature over 37.8°C. Symptoms of fever may include sweating, shivering, headache, muscle aches.
	This PGD should be used in conjunction with the recommendations in the current British National Formulary (BNF), British National Formulary for Children (BNFC) and the individual Summary of Product Characteristics (SmPC).
Inclusion Criteria	 Individuals aged 12 years or older with fever associated with coronavirus (COVID-19) Valid consent by individual, individual advocate/carer. Consent must be in line with current individual Boards consent policy Individual advocate/carer must be present at consultation
Exclusion Criteria	 Individual aged under 12 years of age (see separate PGD) Individuals with known or suspected hypersensitivity to paracetamol and/or other constituents— review Summary of Product Characteristics of the products under consideration Individuals with severe hepatic impairment Individuals with severe renal impairment Individuals currently taking other medicines containing paracetamol Where there is no valid consent
Precautions and Special Warnings	Paracetamol for supply under this PGD should only be used for individuals with the age range specified in the PGD and with fever.
	Consider the risk of intentional overdose in patients' prescribed psychotropic medication. Verify appropriateness of supply through discussion with patients own GP if you have any concerns.



	Individuals who are suffering from any other condition out with the PGD specification should be advised to consider other options for supply, e.g. MAS
Cautions /Need for further advice/ Circumstances when further advice should be sought from a doctor	Individuals who have: Fever with new confusion or slurred speech Constant shivering Muscle pain or shortness of breath that interferes with activities of daily living (Dressing, eating, washing) Reduced urinary output in last 24 hours Skin mottled/ashen e.g. blue or very pale Worsening of symptoms during home isolation Fever symptoms that have not improved after 7 days Should be told to contact GP surgery/NHS 24 111 service, or call 999 in an emergency e.g. suspected meningitis or sepsis. Individuals at increased risk of liver toxicity include: Frail elderly Adults with body weight <50kg Chronic malnutrition/anorexia Check time and dosing of previous paracetamol doses, ensure 4 hours between doses and maximum daily dose is not exceeded.
Action if Excluded Action if treatment is Declined	Advice must be sought - Refer to GP practice (in hours)/the NHS 24 111 service (out of hours) and document in Patient Medication Record (PMR) or Pharmacy Care Record (PCR). Individuals who are suffering from any other condition out with the PGD specification should be advised to consider other options for supply, e.g. MAS Advise on self-care to relieve symptoms and advise to check www.nhsinform.scot and use the COVID-19 Self Help GuideMake
	it clear that if their fever shows no improvement after 7 days or if any of their current symptoms worsen, they should contact GP practice (in hours)/the NHS 24 111 service (out of hours) for advice. Record outcome in Patient Medication Record (PMR) or Pharmacy Care Record (PCR) if appropriate.



Description of Treatment

Name of Medicine	Paracetamol		
Form/Strength	500mg tablets, caplets, and capsules (POM)		
, 0	500mg effervescent tablets and soluble tablets (P)		
	250mg in 5mL oral sus		` '
Route of	Oral	p (: /	
administration	0.4.		
Dosage	Age Range (est.	Dose	Preferred Product
Dosage	weight ranges)	D03C	Treferred Froduct
	Adult	1g every 4 – 6 hours	500mg tablet
		to a maximum of 8	
		tablets/ 4 doses in 24	
		hours.	
		(N.B. Consider	
		reducing dose in	
		individuals weighing	
		less than 50kg to	
		500mg every 4 – 6	
		hours).	
	Children:	500mg – 1g every 4 -6	500mg tablet
	16 – 17 years	hours to a maximum	
	(>50kg)	of 8 tablets/4 doses in	
		24 hours.	
		(N.B. Consider	
		reducing dose in individuals weighing	
		less than 50kg to	
		500mg every 4 – 6	
		hours).	
		1100137.	
		500mg every 4 – 6	
	12 – 15 years or	,	500mg tablets or
	(<50kg)	doses in 24 hours.	250mg/5mL oral
			suspension if
			necessary
Frequency	See Dosage section ab	ove	
Duration of treatment	See Dosage section about	ove	
	Where 1 x 100 is suppl	ied then treatment sho	ould be up to 7 days
Maximum or	Only one supply per in	dividual should be mad	le under this PGD.
minimum treatment	ent		
period	Where 1 x100 is supplied, use for a maximum of 7 days.		of 7 days.



Quantity to supply	500mg tablets/caplets/capsules/effervescent/soluble tablets [1 x
	50 or 1 x 100]
	250mg/5mL suspension [1-2 x 100mL or 1 x 200mL)
▼ additional	No
monitoring	
Legal Status	Paracetamol in a 100 tablet/caplet/capsule pack is a Prescription-only Medicine (POM)
	Paracetamol in a 100 effervescent/soluble pack is a Pharmacy-only Medicine (P)
	Paracetamol liquid oral suspension 250mg in 5mL is a Pharmacy-only Medicine (P) or General Sales List (GSL) medicine.
	In accordance with the MHRA all medicines supplied under a PGD must either be from over-labelled stock, or be labelled appropriately in accordance with the regulatory body guidelines for the labelling of medicines for the professional providing the supply.
Is the use outwith the SPC	No
Storage requirements	As per manufacturer's instructions Tablets/caplets/capsules/Soluble - Store below 25°C in a cool dry
	place Effervescent - Store below 30°C. Store in the original container to protect from the moisture and light.
	Suspension – Protect from light and store in original container Ensure preparation is within expiry date
Additional information	None
Warnings including possible adverse reactions and	Hypersensitivity reactions including skin rashes and blood disorders have been reported rarely
management of these	Speed of absorption may be increased by metoclopramide and domperidone
	N.B. Oral coumarin anticoagulants (prolonged regular use may enhance the anticoagulant effect. INR should be checked if individual continues to take paracetamol for more than 5 days)



	For a full list of side effects – refer to the marketing authorisation holder's Summary of Product Characteristics (SPC). A copy of the SPC must be available to the health professional administering medication under this Patient Group Direction. This can be accessed on www.medicines.org.uk
Reporting procedure for adverse reactions	Pharmacists should document and report all adverse incidents through their own internal governance systems.
	All adverse reactions (actual and suspected) will be reported to the appropriate medical practitioner and recorded patient's medical record. Pharmacists should record in their PMR and send an SBAR to the GP as appropriate.
	Where appropriate, use the Yellow Card System to report adverse drug reactions. Yellow Cards and guidance on its use are available at the back of the BNF or online at http://yellowcard.mhra.gov.uk/
Advice to Individual/carer including written information	 Do not take anything else containing paracetamol while taking this medicine Do not exceed recommended dose Talk to a doctor at once if the maximum dose is exceeded, even if you feel well. This is because too much paracetamol can cause delayed, serious liver damage If symptoms of fever show no improvement after 7 days, or symptoms worsen, advise them to contact the NHS 24 111 service Inform of possible side effects and their management. The medicine Manufacturer Patient Information Leaflet should be given If taking oral coumarin anticoagulants to have INR checked if they continue to take paracetamol regularly for longer than 5 days If taking cholestyramine not to take at the same as paracetamol as cholestyramine decreases the absorption of paracetamol. Take paracetamol one hour before or 4 – 6 hours after cholestyramine Individuals should be informed who to contact should they experience an adverse drug reaction
Monitoring	Not applicable
Follow-up	If symptoms worsen or there is no improvement noted after 7 days, seek advice from the NHS 24 111 service



Additional Facilities	The following should be available at sites where the medication is	
	supplied:	
	Appropriate storage facilities	
	 An acceptable level of privacy to respect individuals right to confidentiality and safety 	
	Access to a working phone	
	 Access to medical support (this may be via the telephone) 	
	Clean and tidy work areas, including access to hand washing	
	facilities or alcohol hand gel	
	A copy of the current PGD in print or electronically	
	Access to current BNF (online version preferred)	

Characteristics of staff authorised under the PGD

Professional qualifications	Registered pharmacist with current General Pharmaceutical Council (GPhC) registration.	
	Under PGD legislation there can be no delegation. Supply of the	
	medication has to be by the same practitioner who has assessed	
	the individual under this PGD.	
Specialist	Approved by the organisation as:	
competencies or qualifications	 Competent to assess the individual/person with parenteral responsibilities/individuals representatives' capacity to understand the nature and purpose of the medication supply in order to give or refuse consent. Aware of current treatment recommendations and be competent to discuss issues about the medication with the individual. 	
	 Competent to make a supply of the medicine(s). 	
	 Competent to work under this PGD. 	
	 Must be familiar with the relevant paracetamol Summary of Product Characteristics (SPC). 	
Continuing education	All professional working under this PGD must:	
and training	 Have undertaken PGD training as required/set out by each individual Health Board Attends approved training and training updates as appropriate. 	

Documentation

Authorisation supply	of	Pharmacist can be authorised to supply the medicine(s) specified in this PGD by their Director of Pharmacy.
		All authorised staff are required to read the PGD and sign the



	individual authorisation
Record/Audit Trail	All records must be clear, legible and in an easily retrieval format in order to allow audit of practice.
	Pharmacists must record in Patient Medication Record (PMR) or Pharmacy Care Record (PCR).
	The following records should be kept (paper or computer based): • Date and time of supply
	 Individuals name and Date of Birth (or CHI if available) Record that valid consent to treatment under this PGD was obtained
	 The name, dose, form of the medicines supplied Advice given, including advice given if excluded or declined treatment under this PGD
	Signature and name in capital letters of the healthcare professional who supplied the medicine
	 Record of any adverse effects (advise individuals GP/relevant medical practitioner)
	These records should be retained in accordance with local/national guidance.
Additional references	Electronic Medicines Compendium
	http://www.medicines.org.uk
	Paracetamol 500mg caplets SmPC (M & A Pharmachem Ltd) Paracetamol 500mg effervescent tablets SmPC (Accord Healthcare Limited)
	Paracetamol 500mg soluble tablets SmPC (Zentiva) Paracetamol 250mg/5mL Oral suspension sachets SmPC (Rosemont
	Brand)
	Paracetamol 120mg/5mL Oral suspension sachets SmPC (Rosemont Brand)
	British National Formulary (BNF) and British National Formulary for Children
	http://about.medicinescomplete.com/



PGD for the supply of paracetamol 500mg oral solid dosage form or paracetamol 250mg in 5mL oral suspension, in response to coronavirus (COVID-19) for self-isolated individuals aged 12 years or over with fever protocol number 555

Individual Authorisation

PGD does not remove inherent professional obligations or accountability

It is the responsibility of each professional to practice only within the bounds of their own competence and in accordance with the General Pharmaceutical Council Standards for Pharmacy Professionals.

Note to Authorising Authority: authorised staff should be provided with access to the clinical content of the PGD and a copy of the document showing their authorisation.

I have read and understood the Patient Group Direction authorised by each of the individual NHS Boards that I wish to operate in and agree to provide paracetamol 500mg oral solid dosage form or paracetamol 250mg in 5mL oral suspension

Name of Pharmacist			Click or tap here to enter text.					
GPhC Registration Number			Click or tap here to enter text.					
	harm	acy name and co		tor code is require			-	
Name & Contractor code HB (1)			Click or tap here to enter text.					
Name & Contractor code HB (2)			Click or tap here to enter text.					
Name & Contractor code HB (3)			Click or tap here to enter text.					
Please indica	te yo	ur position within	the p	harmacy by ticking	one (of the following:		
Locum		Employee		Manager		Owner		



Signature Clic	k or tap hei	re to enter text. Dat	te C	Click or tap to enter	a date.	
Please tick and so addresses are give		h Health Board you	work in	n. Fax numbers, e	mail and	postal
Ayrshire & Arran		Grampian		Orkney		
Borders		Gr Glasgow & Clyde		Shetland		
Dumfries & Galloway		Highland		Tayside		
Fife		Lanarkshire		Western Isles		
Forth Valley		Lothian				
NHS Board	Address				Fax Num	ber
Ayrshire & Arran	Mr Allan Thomas, NHS Ayrshire & Arran, Eglington House, Ailsa Hospital, Dalmellington Road, Ayr, KA6 6AB Angela.oumoussa@aapct.scot.nhs.uk				Please or post	e-mail
Borders	Adrian Mackenzie, Lead Pharmacist Pharmacy Department, Borders General Hospita Melrose, TD6 9BS communitypharmacy.team@borders.scot.nhs.uk			•	Please or post	e-mail
Dumfries & Galloway	NHS Dumfries & Galloway, Primary Care Development, Ground Floor North, Mountainhall Treatment Centre, Bankend Rd, Dumfries, DG1 4TG dumf-uhb.pcd@nhs.net				Please or post	e-mail
Fife	PGD Administrator, Pharmacy Services, NHS Fife, Pentland House, Lynebank Hospital, Halbeath Road, Dunfermline, KY11 4UW Fife-uhb.pgd@nhs.net			Please or post	e-mail	
Forth Valley				K5 4WR	Please email or post	
Grampian	Pharmaceutical Care Services Team NHS Grampian, Pharmacy & Medicines Direct Westholme, Woodend, Queens Road, Aberdeen, AB15 6LS nhsg.pharmaceuticalcareservices@nhs.net				Please or post	e-mail



Greater Glasgow	Janine Glen, Contracts Manager, Community					
& Clyde	Pharmacy, NHS Greater Glasgow & Clyde,	0141 201 6044				
	Clarkston Court, 56 Busby Road, Glasgow G76 7AT	Or email				
	GG-UHB.cpdevteam@nhs.net					
Highland	Highland Community Pharmaceutical Services, NHS Highland,					
	Assynt House, Beechwood Park, Inverness. IV2 3BW	Please e-mail or post				
	high-uhb.cpsoffice@nhs.net	01 post				
Lanarkshire	Lanarkshire Pharmacy/Prescribing Admin Team,					
	NHS Lanarkshire Headquarters, Kirklands, Fallside	01698 858271				
	Road, Bothwell, G71 8BB					
Lothian	Primary Care Contractor Organisation, 2 ND Floor,	Please e-mail				
	Waverley Gate, 2-4 Waterloo Place, Edinburgh, EH1					
	3EG	or post				
	CommunityPharmacy.Contract@nhslothian.scot.nhs.uk					
Orkney	Sylvia Robertson, Primary Care Pharmacist,					
	NHS Orkney, Balfour Hospital, New Scapa Road,	01856 888 061				
	Kirkwall, Orkney KW15 1BH					
Shetland	Mary McFarlane,					
	Principle Pharmacist, NHS Shetland, Gilbert Bain	01595 743356				
	Hospital, Lerwick, Shetland, ZE1 0TB					
Tayside	Diane Robertson	No fax, please				
	Pharmacy Department, East Day Home, Kings Cross	post				
	Hospital, Clepington Road, Dundee, DD3 8AE					
Western Isles	Stephan Smit, Primary Care Dept,	No fax, please				
	The Health Centre, Springfield Road, Stornoway,					
	Isle of Lewis, HS1 2PS	post				